

# ISB 61901-ZZ deep groove ball bearings

Welcome to the ISB 61901-ZZ deep groove ball bearings online 35 Outer Diameter (mm) seller. 15x35x11 Size (mm)

Size (mm)	15x35x11
Bore Diameter (mm)	15
Outer Diameter (mm)	35
Width (mm)	11
d	15 mm
D	35 mm
B	11 mm
C	11 mm
r min.	0.6 mm
da min.	20 mm
Da max.	30 mm
ra max.	0.6 mm
Weight	0.045 Kg
Basic dynamic load rating (C)	7,65 kN
Basic static load rating (C0)	3,7 kN
(Grease) Lubrication Speed	19000 r/min
Inventory	0.0
Manufacturer Name	NACHI
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	4991893681864
Product Group	B00308
Enclosure	2 Metal Shields

Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	15MM Bore; 35MM Outside Diameter; 11MM Outer Race Width; 2 Metal Shields; Ball Bearing; ABEC 1   ISO
Other Features	Deep Groove
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.099
Outside Diameter	1.378 Inch   35 Millimeter
Bore	0.591 Inch   15 Millimeter
Outer Race Width	0.433 Inch   11 Millimeter
Inner Race Width	0 Inch   0 Millimeter
Bore Type	Cylindrical Bore
Configuration	Single Row
Bore Size	15 mm
Width	11 mm
Fillet Radius/Chamfer	0.6 mm
Dynamic Load Rating	7,650 N
Static Load Rating	3,700 N
Limiting Speed – Grease	20,000 rpm

Factor fo	13.1
Radial Clearance	0.003 to 0.018 mm
da (min)	20 mm
Da (max)	30 mm
ra (max)	0.6 mm