

# ISB F692 deep groove ball bearings

Advance ISB F692 deep groove ball bearings is your source for 0.0 Inventory quality and accessories. shop online for home delivery or pick up in one of our 10000 .

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	36.77
EAN	0087796075061
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Shaft Mount
Housing Style	4 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	22222
Seals	Triple Ring Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Inch
Other Features	Double Row   Straight Bore
Long Description	4 Bolt Pillow Block; 4.331" Bore; 4-15/16" Base to Center Height; Shaft Mount Mount; Spher

UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	SAF 22222
Weight / LBS	81
Bolt Spacing Minimum	12.625 Inch   320.675Millimeter
d	4.331 Inch   110.007 Millimeter
D	2.00 in
B	16.5 in
Actual Bolt Center to Center	0 Inch   0Millimeter
Nominal Bolt Center to Center	13.6 Inch   344.5 Millimeter
Bolt Spacing Maximum	14.5 Inch   368.3Millimeter
Diameter S-2	4 7/8 in
Diameter S-3	4 3/16 in
A	4.9375 in
C	4.750 in
E Max.	14.5000 in
E Min.	12.6250 in
F	2.75 in
H1	9.5625 in
Oil Level K	1.8750 in
L2	6.3750 in
Y	1.9531 in
No. of Base Bolts Required	4
Size of Base Bolts Required	3.4 in
Locknut	AN22
Lockwasher	W22
Housing Only3	SAF222

Bolt Hole Length	1.6875 in
Bolt Hole Width	0.750 in
Stabilizing Ring 1 Req'd4	SR-22-19
Triple Seal 2 Req'd at S-2	LOR121
Triple Seal 2 Req'd at S-3	LOR113
Assembly Weight	81.000 lb
Full Timken Part Number	SAF22222
Seal Type	Triple Ring Seal