

# ISB GEG 12 C plain bearings

ISB GEG 12 C plain bearings Industries and Applications ? We sell 75 Bore Diameter (mm) discount online 75x115x13 Size (mm) as well as cheap machinery parts.

Size (mm)	75x115x13
Bore Diameter (mm)	75
Outer Diameter (mm)	115
Width (mm)	13
d	75 mm
D	115 mm
B	13 mm
C	13 mm
r min.	0,6 mm
da min.	79 mm
Da max.	111 mm
ra max.	0,6 mm
Weight	0,463 Kg
Basic dynamic load rating (C)	27,6 kN
Basic static load rating (C0)	25,3 kN
(Grease) Lubrication Speed	5 600 r/min
(Oil) Lubrication Speed	6 700 r/min
Inventory	5.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.455
EAN	0029176031298
Product Group	B00308

Enclosure	Open
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	75MM Bore; 115MM Outside Diameter; 13MM Outer Race Diameter; Open; Ball Bearing; ABEC 1   ISO P0; No
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	1.021
Outside Diameter	4.528 Inch   115 Millimeter
Outer Race Width	0.512 Inch   13 Millimeter
Bore	2.953 Inch   75 Millimeter
SRI	4.93
hidYobi	16015
LangID	1
D_	115
SREX	0.02
B_	13
da min	79
hidTable	ecat_NSRDGB
Oil rpm	6700

SRE	4.93
mass	0.463
GRS rpm	5600
ra	0.6
SRIX	0.02
D_a	111
SRIN	-0.02
C0	25.3
fo	16.4
SREN	-0.02
DE_	104.525
Prod_Type3	DGBB_SR_OT
DA_	9.525
bomp	0
Z_	17
yobi	16015
C_conv	27600
ALPHA_	0
SDM_	95
r	0.6
KBRG	6101
SBRG	0
DI_	85.475