

# ISB NJ 214 cylindrical roller bearings

Browse ISB NJ 214 cylindrical roller bearings Categories in the Manufacturers Online Free. including . 0.0 Inventory

|                           |  |
|---------------------------|--|
| Inventory                 | 0.0  |
| Manufacturer Name         | REGAL BELOIT   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 4.13   |
| EAN                       | 0662798361918  |
| Product Group             | M06110   |
| Number of Mounting Holes  | 4  |
| Mounting Method           | Eccentric Collar   |
| Housing Style             | 4 Bolt Square Flange Block   |
| Rolling Element           | Ball Bearing   |
| Housing Material          | Cast Iron  |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 5/8 Inch   |
| Relubricatable            | Yes  |
| Insert Part Number        | B220R  |
| Seals                     | Nitrile Rubber   |
| Housing Configuration     | 1 Piece Solid  |
| Pilot Configuration       | No Pilot   |
| Inch – Metric             | Inch   |
| Long Description          | 4 Bolt Square Flange Block;<br>2-3/16" Bore; 7.2" Bolt<br>Circle; 5-1/8" Bolt Spacing; 1<br>Pi |

|                                    |   |
|------------------------------------|---|
| Other Features                     | Single Row   Spherical   Anti Rotation Pin   Has Trash Guard   With Set Screw |
| UNSPSC                             | 31171501  |
| Harmonized Tariff Code             | 8483.20.40.40   |
| Noun                               | Bearing   |
| Keyword String                     | Flanged   |
| Manufacturer Item Number           | 1002-07250  |
| Manufacturer Internal Number       | 36191   |
| Weight / LBS                       | 9.1   |
| d                                  | 2.188 Inch   55.575 Millimeter  |
| Nominal Bolt Circle Diameter Round | 7.2 Inch   184 Millimeter   |
| Cartridge Pilot Depth              | 0 Inch   0 Millimeter   |
| D                                  | 1.906 Inch   48.42 Millimeter   |
| Cartridge Pilot Diameter           | 0 Inch   0 Millimeter   |
| Bolt Spacing                       | 5.125 Inch   130.18 Millimeter  |