

ISB NU 1024 cylindrical roller bearings

Welcome 90x140x32 Size (mm) to the 90 Bore Diameter (mm) ISB NU 1024 cylindrical roller bearings online seller.

Size (mm)	90x140x32
Bore Diameter (mm)	90
Outer Diameter (mm)	140
Width (mm)	32
d	90 mm
D	140 mm
T	32 mm
B	32 mm
C	24 mm
a	29,7 mm
r min.	2 mm
r1 min.	1,5 mm
da min.	102 mm
Da min	124 mm
Da max.	131 mm
db max.	99 mm
Db min.	134 mm
ra max.	2 mm
rb max.	1,5 mm
Weight	1,78 Kg
Basic dynamic load rating (C)	170 kN
Basic static load rating (C0)	273 kN
(Grease) Lubrication Speed	2400 r/min

(Oil) Lubrication Speed	3200 r/min
Calculation factor (e)	0,42
Calculation factor (Y0)	0,78
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B04334
LangID	1
outer r	1.5
D_	140
TC-BET22	55
TC-BET21	2
TC-BET23	0
inner r	2
mass	1.78
GRS rpm	2400
D_b	134
Cr	17300
TC-RA	245
DE_	126.717
T-ALP23	0
db	99
T-ALP22	30
Prod_Type3	TRBSR_MD_A
da	102
T-ALP21	31
Iso	3CC
ALPHA_	15.75

SDM_	115.137
SBRG	20
D_a2	124
hidYobi	HR32018XJ
Y1	1.4
D_a1	131
B_	32
hidTable	ecat_NSTPRM
Oil rpm	3200
C0r	27800
Y0	0.78
TC-SLR	23.5
inner ra	2
outer rb	1.5
C0	273
Sa	6
Sb	8
e	0.42
DA_	11.874
Z_	27
C_	24
yobi	HR32018XJ
TC-DA1	12.47
TC-DA2	11.278
KBRG	3111
DI_	103.557