

ISO 22360 KW33 spherical roller bearings

What is 0.0 Inventory ISO 22360 KW33 spherical roller bearings in mechanical engineering? Manufacturing Service . Upload your CAD file for N/A Minimum Buy Quantity an NTN Manufacturer Name instant.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	2.112
EAN	4547359501681
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	UC210-115D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch

Long Description	2 Bolt Flange Block; 1-15/16" Bore; 6.2" Bolt Circle; 6-3/16" Bolt Spacing; 1 Piece S
Other Features	Single Row Light Duty Wide Inner Race Has Flinger
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	UCFL210-115D1
Weight / LBS	4.9
D	2.031 Inch 51.6 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
d	1.938 Inch 49.225 Millimeter
Bolt Spacing	6.188 Inch 157.175 Millimeter
Nominal Bolt Circle Diameter Round	6.2 Inch 157 Millimeter
bore diameter:	1.9375 in
radial dynamic load capacity:	7900 lb
bolt center-to-center length:	6.1875 in
radial static load capacity:	5220 lb
overall length/diameter:	7.7500 in
seal type:	Contact with Flinger
bore type:	Round
length through bore:	2-5/32 in
duty type:	Light Duty

finish/coating:	Uncoated
mounting type:	Two-Bolt Flange
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
series:	UCFL2
locking device:	Set Screw
standards met:	ISO, AFBMA
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UC210-115D1