## ISO 24034W33 spherical roller bearings

Manufacturers of all 0.0 Inventory are represented in our partial list of N/A Minimum Buy Quantity clients. Contact Gary for a IPTCI BEARINGS Manufacturer Name complete ISO 24034W33 spherical roller bearings list of clients and projects.

| Inventory                 | 0.0  |
|---------------------------|--|
| Manufacturer Name         | IPTCI BEARINGS                               |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 1.27   |
| Product Group             | M06110                                       |
| Number of Mounting Holes  | 2  |
| Mounting Method           | Set Screw                                    |
| Housing Style             | 2 Bolt Pillow Block                          |
| Rolling Element           | Ball Bearing                                 |
| Housing Material          | Cast Iron                                    |
| Expansion / Non-expansion | Non-expansion                                |
| Mounting Bolts            | 1/2 Inch                                     |
| Relubricatable            | Yes  |
| Insert Part Number        | SB206-20G                                    |
| Seals                     | K Seal                                       |
| Housing Configuration     | 1 Piece Solid                                |
| Inch — Metric             | Inch   |
| Other Features            | Single Row   Narrow Inner Race<br>  Low Base |

| Long Description              | 2 Bolt Pillow Block; 1-1/4"<br>Bore; 1-9/16" Base to Center<br>Height; Set Screw Mount; Ball<br>Bea |
|-------------------------------|---|
| UNSPSC                        | 31171511  |
| Harmonized Tariff Code        | 8483.20.40.40   |
| Noun                          | Bearing   |
| Keyword String                | Pillow Block  |
| Manufacturer Item Number      | SBPL 206 20 G   |
| Weight / LBS                  | 2.8   |
| Bolt Spacing Minimum          | 0 Inch   0Millimeter  |
| Actual Bolt Center to Center  | 4.8 Inch   121Millimeter  |
| Nominal Bolt Center to Center | 4.8 Inch   121 Millimeter   |
| D                             | 1.181 Inch   30 Millimeter  |
| Bolt Spacing Maximum          | 0 Inch   0Millimeter  |
| d                             | 1.25 Inch   31.75 Millimeter  |
| В                             | 1.563 Inch   39.7 Millimeter  |