

ISO 29344 M thrust roller bearings

ISO 29344 M thrust roller bearings Warehouse offers 180x380x134 Size (mm) car parts and car accessories. We 180 Bore Diameter (mm) sell discount online as well as cheap machinery parts.

Size (mm)	180x380x134
Bore Diameter (mm)	180
Outer Diameter (mm)	380
Width (mm)	134
d	180 mm
D	380 mm
T	134 mm
B	126 mm
C	106 mm
a	96,6 mm
r min.	5 mm
r1 min.	4 mm
da min.	212 mm
Da min	310 mm
Da max.	362 mm
db max.	225 mm
Db min.	353 mm
ra max.	4 mm
rb max.	3 mm
Weight	66,8 Kg
Basic dynamic load rating (C)	1520 kN

Basic static load rating (C0)	2290 kN
(Grease) Lubrication Speed	950 r/min
(Oil) Lubrication Speed	1300 r/min
Calculation factor (e)	0,37
Calculation factor (Y0)	0,88
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	70
Product Group	B04334
LangID	1
outer r	4
D_	380
TC-BET22	0
TC-BET21	4
TC-BET23	0
inner r	5
mass	66.8
GRS rpm	950
D_b	353
Cr	155000
TC-RA	725
DE_	326.429
T-ALP23	0
db	225
T-ALP22	0
Prod_Type3	TRBSR_MD_A
da	212
T-ALP21	28

Iso	—
ALPHA_	14
SDM_	280.788
SBRG	23
D_a2	310
hidYobi	32336
Y1	1.6
D_a1	362
B_	126
hidTable	ecat_NSTPRM
Oil rpm	1300
C0r	234000
Y0	0.88
TC-SLR	95
inner ra	4
outer rb	3
C0	2290
Sa	10
Sb	28
e	0.37
DA_	47.3
Z_	15
C_	106
yobi	32336
TC-DA1	50.6
TC-DA2	44
KBRG	3111
DI_	235.146