

ISO 7236 CDF angular contact ball bearings

are a few brands you will find in our inventory. Find ISO 7236 CDF angular contact ball bearings to see what's in stock! 25 Bore Diameter (mm)

Bore Diameter (mm)	25
d	25 mm
U	24,4 mm
Thread (Q)	M6
Z	70 mm
d3	37,5 mm
A	19 mm
A1	9 mm
B1	44,5 mm
H	115 mm
J	90 mm
N	9 mm
S	2 mm
A2	2,5 mm
Weight	0,8 Kg
Basic dynamic load rating (C)	14 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.958
EAN	4012802837902
Product Group	M06110

Number of Mounting Holes	4
Mounting Method	Eccentric Collar
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	9 Millimeter
Relubricatable	Yes
Insert Part Number	GE25KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch – Metric	Metric
Long Description	4 Bolt Round Flange Cartridge; 25MM Bore; 90MM Bolt Circle; 63.5MM Bolt Spacing; 1 Piece Solid; Ecce
Other Features	Single Row Centering Spigot End Cap With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	RME25N
Weight / LBS	1.764
Bolt Spacing	2.5 Inch 63.5 Millimeter
Cartridge Pilot Diameter	2.756 Inch 70 Millimeter
Length Thru Bore	1.748 Inch 44.4 Millimeter
Cartridge Pilot Depth	0.315 Inch 8 Millimeter

Bore	0.984 Inch 25 Millimeter
Nominal Bolt Circle Diameter Round	3.5 Inch 90 Millimeter