

# ISO DAC40720637 angular contact ball bearings

High Quality ISO DAC40720637 angular contact ball bearings. 0.0 Inventory Competitive Pricing. Accept Small Order. Easy and Fast Shipping.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	4
EAN	4547359001082
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	20 Millimeter
Relubricatable	Yes
Insert Part Number	UC212D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Metric
Long Description	2 Bolt Flange Block; 60MM Bore; 202MM Bolt Circle; 202MM Bolt Spacing; 1 Piece Solid; Set Screw Moun

Other Features	Single Row   Light Duty   Wide Inner Race   Has Flinger
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	UCFL212D1
Weight / LBS	8.8
Bolt Spacing	7.953 Inch   202 Millimeter
D	2.563 Inch   65.09 Millimeter
Nominal Bolt Circle Diameter Round	8 Inch   202 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
d	2.362 Inch   60 Millimeter
bore diameter:	60 mm
radial dynamic load capacity:	11800 lb
bolt center-to-center length:	7.9531 in
radial static load capacity:	8100 lb
overall length/diameter:	9.8438 in
seal type:	Contact with Flinger
bore type:	Round
length through bore:	2-45/64 in
duty type:	Light Duty
finish/coating:	Uncoated
mounting type:	Two-Bolt Flange
lubrication type:	Lubrication Fitting
housing material:	Cast Iron

series:	UCFL2
locking device:	Set Screw
standards met:	ISO, AFBMA
expansion type:	Non-Expansion Bearing (Fixed)
replacement bearing:	UC212D1