

# ISO HK3524 cylindrical roller bearings

Can't find what you're 0.0 Inventory looking for ISO HK3524 cylindrical roller bearings ? Our expert N/A Minimum Buy Quantity Representatives be in contact with you shortly!

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.066
EAN	4547359030334
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 9   ISO P2
Material – Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	15 Degree
Preload	Light
Raceway Style	1 Rib Inner Ring
Cage Material	Phenolic
Rolling Element	Ball Bearing
Mounting Arrangement	Universal
Flush Ground	Yes
Inch – Metric	Metric
Other Features	Single Row   Angular Contact   High Speed

Long Description	20MM Bore; 42MM Outside Diameter; 12MM Width; Open Enclosure; ABEC 9   ISO P2 Precision; Steel Ball
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer Item Number	BNT004/GNP2
Weight / LBS	0.146
B	0.472 Inch   12 Millimeter
d	0.787 Inch   20 Millimeter
D	1.654 Inch   42 Millimeter
bore diameter:	20 mm
radial static load capacity:	3950 N
outside diameter:	42 mm
operating temperature range:	-40 to 120 °C
overall width:	12 mm
cage material:	Phenolic Resin
contact angle:	15 °
maximum rpm:	68300 rpm
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
bore type:	Round
precision rating:	ISO Class 2
closure type:	Open
fillet radius:	0.6 mm
snap ring included:	Without Snap Ring
weight:	0.066 kg
bearing material:	High Carbon Chrome Steel

manufacturer product page:	<a href="#">Click here</a>
radial dynamic load capacity:	8000 N