

# ISO NJ356 cylindrical roller bearings

With over 10170 full-service stores, our ISO NJ356 cylindrical roller bearings inventory is extensive and our parts are priced right. within 24 hours. This helps you maximize your productivity 0.0 Inventory by saving time and your hard-earned SKF Manufacturer Name dollars.

|                                 |                                                                                                      |
|---------------------------------|------------------------------------------------------------------------------------------------------|
| Inventory                       | 0.0                                                                                                  |
| Manufacturer Name               | SKF                                                                                                  |
| Minimum Buy Quantity            | N/A                                                                                                  |
| Weight                          | 0                                                                                                    |
| EAN                             | 7316571484952                                                                                        |
| Product Group                   | B00308                                                                                               |
| Enclosure                       | 2 Seals                                                                                              |
| Precision Class                 | ABEC 1   ISO P0                                                                                      |
| Maximum Capacity / Filling Slot | No                                                                                                   |
| Rolling Element                 | Ball Bearing                                                                                         |
| Snap Ring                       | No                                                                                                   |
| Internal Special Features       | No                                                                                                   |
| Cage Material                   | Steel                                                                                                |
| Enclosure Type                  | Contact Seal                                                                                         |
| Internal Clearance              | C3-Loose                                                                                             |
| Inch – Metric                   | Metric                                                                                               |
| Long Description                | 55MM Bore; 100MM Outside Diameter; 21MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1   ISO P0; No |

|                              |                                                                                                |
|------------------------------|------------------------------------------------------------------------------------------------|
| Other Features               | Deep Groove   NBR Seal   Standard Synthetic Base Oil                                           |
| UNSPSC                       | 31171504                                                                                       |
| Harmonized Tariff Code       | 8482.10.50.68                                                                                  |
| Noun                         | Bearing                                                                                        |
| Keyword String               | Ball                                                                                           |
| Manufacturer Item Number     | 6211-2RS1/C3W64                                                                                |
| Weight / LBS                 | 1.3889                                                                                         |
| D                            | 3.937 Inch   100 Millimeter                                                                    |
| Outer Race Width             | 0.827 Inch   21 Millimeter                                                                     |
| Inner Race Width             | 0 Inch   0 Millimeter                                                                          |
| d                            | 2.165 Inch   55 Millimeter                                                                     |
| bore diameter:               | 55 mm                                                                                          |
| internal clearance:          | C3                                                                                             |
| outside diameter:            | 100 mm                                                                                         |
| operating temperature range: | 0 °F to 185 °F                                                                                 |
| overall width:               | 21 mm                                                                                          |
| dynamic load capacity:       | 9800 lbf                                                                                       |
| bore type:                   | Round                                                                                          |
| static load capacity:        | 6520 lbf                                                                                       |
| closure type:                | Double Sealed                                                                                  |
| finish/coating:              | Uncoated                                                                                       |
| row type & fill slot:        | Single Row Non-Fill Slot                                                                       |
| cage material:               | Steel                                                                                          |
| snap ring included:          | Without Snap Ring                                                                              |
| application:                 | Metal manufacturing, Paper mills, Steel mills-plate, slab, strip, blast furnace, Overhead cran |