

ISO NP216 cylindrical roller bearings

Find the discount ISO NP216 cylindrical roller bearings online you need . We offer ... If you check out our large selection 0.0 Inventory of ISO NP216 cylindrical roller bearings once .

| | |
|---------------------------------|--|
| Inventory | 0.0 |
| Manufacturer Name | SKF |
| Minimum Buy Quantity | N/A |
| Weight | 0 |
| EAN | 7316577061959 |
| Product Group | B00308 |
| Enclosure | Open |
| Precision Class | ABEC 1 ISO P0 |
| Maximum Capacity / Filling Slot | No |
| Rolling Element | Ball Bearing |
| Snap Ring | Yes |
| Internal Special Features | No |
| Cage Material | Steel |
| Internal Clearance | C0-Medium |
| Inch – Metric | Metric |
| Long Description | 90MM Bore; 140MM Outside Diameter; 24MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Fi |
| Other Features | Deep Groove With Snap Ring |
| UNSPSC | 31171504 |
| Harmonized Tariff Code | 8482.10.50.68 |
| Noun | Bearing |

| | |
|-----------------------------|----------------------------|
| Keyword String | Ball |
| Weight / LBS | 2.5331 |
| Outer Race Width | 0.945 Inch 24 Millimeter |
| Inner Race Width | 0 Inch 0 Millimeter |
| d | 90 mm |
| D | 140 mm |
| B | 24 mm |
| d1 ≈ | 105.95 mm |
| D2 ≈ | 128.3 mm |
| D3 | 135.23 mm |
| D4 | 149.7 mm |
| b | 3.1 mm |
| C | 3.71 mm |
| f | 2.82 mm |
| r0 max. | 0.6 mm |
| r1,2 min. | 1.5 mm |
| da min. | 97 mm |
| Da max. | 133 mm |
| Db min. | 151 mm |
| ba min. | 3.5 mm |
| Ca max. | 6.53 mm |
| ra max. | 1.5 mm |
| Basic dynamic load rating C | 60.5 kN |
| Basic static load rating C0 | 50 kN |
| Fatigue load limit Pu | 1.96 kN |
| Reference speed | 10000 r/min |
| Limiting speed | 6300 r/min |
| Calculation factor kr | 0.025 |
| Calculation factor f0 | 16 |

| | |
|--------------|--------|
| Mass bearing | 1.2 kg |
| Snap ring | SP 140 |