

# ISO NP315 cylindrical roller bearings

Online ISO NP315 cylindrical roller bearings Expert.More Choices. ISO NP315 cylindrical roller bearings in Stock & N/A Minimum Buy Quantity Ready 0.0 Inventory to Ship Now!

|                           |  |
|---------------------------|--|
| Inventory                 | 0.0  |
| Manufacturer Name         | TIMKEN   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 19.522   |
| EAN                       | 0883450345712  |
| Product Group             | M06288   |
| Number of Mounting Holes  | 4  |
| Mounting Method           | V Lock   |
| Housing Style             | 4 Bolt Pillow Block  |
| Rolling Element           | Spherical Roller Bearing   |
| Housing Material          | Cast Steel   |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 3/4 Inch   |
| Relubricatable            | Yes  |
| Insert Part Number        | 22219  |
| Seals                     | Triple Lip Viton   |
| Housing Configuration     | 1 Piece Solid  |
| Inch – Metric             | Inch   |
| Other Features            | Double Row   Single Nut  |
| Long Description          | 4 Bolt Pillow Block; 3-1/4" Bore; 4" Base to Center Height; V Lock Mount; Spherical Roller |

|                               |                                |
|-------------------------------|--------------------------------|
| UNSPSC                        | 31171511                       |
| Harmonized Tariff Code        | 8483.20.40.80                  |
| Noun                          | Bearing                        |
| Keyword String                | Pillow Block                   |
| Manufacturer Item Number      | QVPX19V304SN                   |
| Weight / LBS                  | 49                             |
| Bolt Spacing Maximum          | 12.19 Inch   309.626Millimeter |
| d                             | 3.25 Inch   82.55 Millimeter   |
| Bolt Spacing Minimum          | 10.81 Inch   274.574Millimeter |
| B                             | 4 Inch   101.6 Millimeter      |
| Actual Bolt Center to Center  | 0 Inch   0Millimeter           |
| Nominal Bolt Center to Center | 11.5 Inch   292.1 Millimeter   |
| D                             | 3.69 Inch   93.726 Millimeter  |