

ISO TM2/25,5 deep groove ball bearings

ISO TM2/25,5 deep groove ball bearings Warehouse offers car parts and car accessories. We sell discount online as well as 17x35x10 Size (mm) cheap 17 Bore Diameter (mm) machinery parts.

Size (mm)	17x35x10
Bore Diameter (mm)	17
Outer Diameter (mm)	35
Width (mm)	10
d	17 mm
D	35 mm
B	10 mm
C	10 mm
d1	23 mm
r1 min.	0,3 mm
r2 min.	0,3 mm
D2	31,2 mm
Weight	0,038 Kg
Temperature –	30 to +250 °
Basic static load rating (C0)	3,25 kN
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.043
EAN	7316571110981
Product Group	B00308

Enclosure	Open
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	Polyalkylene Glycol/Graphite Mixture Filled
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	17MM Bore; 35MM Outside Diameter; 10MM Outer Race Width; Open; Ball Bearing; ABEC 1 ISO P0; No Fil
Other Features	Deep Groove Extreme Temperature Variant
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6003/VA201
Weight / LBS	0.094
Outer Race Width	0.394 Inch 10 Millimeter
Outside Diameter	1.378 Inch 35 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Bore	0.669 Inch 17 Millimeter
bore diameter:	17 mm
static load capacity:	3.25 kN
outside diameter:	35 mm
precision rating:	Not Rated

overall width:	10 mm
finish/coating:	Uncoated
bore type:	Round
cage material:	Steel
closure type:	Open
outer ring width:	10 mm
row type & fill slot:	Single Row Non-Fill Slot
fillet radius:	0.3 mm
snap ring included:	Without Snap Ring
maximum rpm:	340 RPM
internal clearance:	C0
series:	60
operating temperature range:	-20 to +480 °F
resistance features:	Corrosion Resistant, Extreme Temperature
d1 ≈	23 mm
D2 ≈	31.2 mm
r1,2 min.	0.3 mm
da min.	19 mm
Da max.	33 mm
ra max.	0.3 mm
Basic dynamic load rating C	6.37 kN
Basic static load rating C0	3.25 kN
Limiting speed	340 r/min
Limiting temperature T max.	250 °C
Mass bearing	0.038 kg