

JNS NA 6907 needle roller bearings

Shop JNS NA 6907 needle roller bearings huge online discount inventory. and Import machinery parts your car needs with 26x10x8 Size (mm) Free Shipping and Free Extended Warranty.

Size (mm)	26x10x8
Bore Diameter (mm)	26
Outer Diameter (mm)	10
Width (mm)	8
d	10 mm
D	26 mm
B	8 mm
d1	15.1 mm
d2	15.1 mm
D2	23.5 mm
r1,2 – min.	0.3 mm
r3,4 – min.	0.2 mm
a	6.5 mm
da – min.	12 mm
da – max.	14.7 mm
db – min.	12 mm
db – max.	14.7 mm
Da – max.	24 mm
Db – max.	24.6 mm
ra – max.	0.3 mm
rb – max.	0.2 mm
Basic dynamic load rating – C	4.1 kN

Basic static load rating – C ₀	1.7 kN
Fatigue load limit – P _u	0.071 kN
Limiting speed for grease lubrication	90000 r/min
Ball – D _w	4.762 mm
Ball – z	9
Calculation factor – f ₀	8.3
Preload class A – G _A	15 N
Preload class B – G _B	30 N
Preload class C – G _C	60 N
Preload class D – G _D	120 N
Calculation factor – f	1
Calculation factor – f _{2A}	1
Calculation factor – f _{2B}	1.02
Calculation factor – f _{2C}	1.05
Calculation factor – f _{2D}	1.09
Calculation factor – f _{HC}	1.02
Preload class A	14 N/micron
Preload class B	19 N/micron
Preload class C	26 N/micron
Preload class D	36 N/micron
r _{1,2} min.	0.3 mm
r _{3,4} min.	0.2 mm
d _a min.	12 mm
d _a max.	14.7 mm
d _b min.	12 mm
d _b max.	14.7 mm
D _a max.	24 mm
D _b max.	24.6 mm
r _a max.	0.3 mm

rb max.	0.2 mm
Basic dynamic load rating C	4.1 kN
Basic static load rating C0	1.66 kN
Fatigue load limit Pu	0.071 kN
Attainable speed for grease lubrication	90000 r/min
Ball diameter Dw	4.762 mm
Number of balls z	9
Preload class A GA	15 N
Static axial stiffness, preload class A	14 N/ μ m
Preload class B GB	30 N
Static axial stiffness, preload class B	19 N/ μ m
Preload class C GC	60 N
Static axial stiffness, preload class C	26 N/ μ m
Preload class D GD	120 N
Static axial stiffness, preload class D	36 N/ μ m
Calculation factor f	1.03
Calculation factor f1	1
Calculation factor f2A	1
Calculation factor f2B	1.02
Calculation factor f2C	1.05
Calculation factor f2D	1.09
Calculation factor fHC	1.02
Calculation factor f0	8.3
Mass bearing	0.017 kg