

JNS RNA 6902UU needle roller bearings

Welcome to the 250 Outer Diameter (mm) JNS RNA 6902UU needle roller bearings online 150x250x100 Size (mm) seller.

Size (mm)	150x250x100
Bore Diameter (mm)	150
Outer Diameter (mm)	250
Width (mm)	100
d	150 mm
D	250 mm
B	100 mm
C	100 mm
r min.	2,1 mm
da min.	162 mm
da max	169 mm
Da min	212 mm
Da max.	238 mm
ra max.	2 mm
Weight	19,8 Kg
Basic dynamic load rating (C)	890 kN
Basic static load rating (C0)	1530 kN
(Grease) Lubrication Speed	1100 r/min
(Oil) Lubrication Speed	1400 r/min
Calculation factor (e)	0,38
Calculation factor (Y0)	1,7
Calculation factor (Y2)	2,6
Inventory	0.0

Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	18.2
Product Group	B04311
Y3	1.8
hidYobi	24130CK30E4
LangID	1
Y1	1.7
D_	250
Y2	2.6
Macha rpm	0
B_	100
da min	162
hidTable	ecat_NSSPHR
Oil rpm	1400
Y0	1.7
mass	19.8
GRS rpm	1100
ra	2
TSR rpm	1400
C0	1530
DE_	224.778
X0	1
Prod_Type3	SRB_CTB_TB
X1	1
X2	0.67
SIR	40
e	0.38
DA_	25

bomp	24130CK30E4
Z_	21
ALP2	20
ALP1	14
ALP3	0
D_a max	238
D_a min	212
yobi	24130CK30E4
ALPHA_	0.25
SDM_	200.556
r	2.1
KBRG	2322
SBRG	41
DI_	176.335