

# KOYO 22334RHA spherical roller bearings

Can't find what 57 mm V you're looking for KOYO 22334RHA spherical roller bearings ? 15 Bore Diameter (mm) Our expert 15 mm d Representatives be in contact with you shortly!

Bore Diameter (mm)	15
d	15 mm
V	57 mm
U	39,1 mm
Thread (Q)	M6
d3	28 mm
A	25 mm
A1	9,5 mm
B1	28,6 mm
H	99 mm
J	76,5 mm
L	57 mm
N	11,5 mm
A2	17 mm
Weight	0,37 Kg
Basic dynamic load rating (C)	9,8 kN
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.4
EAN	4012802799477
Product Group	M06110

Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	11.5 Millimeter
Relubricatable	Yes
Insert Part Number	GRAE15NPPB
Seals	Double Lip Contact
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Metric
Long Description	2 Bolt Flange Block; 15MM Bore; 76MM Bolt Circle; 76.5MM Bolt Spacing; 1 Piece Solid; Eccentric Coll
Other Features	Single Row   With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	PCJT15
Weight / LBS	0.882
Cartridge Pilot Diameter	0 Inch   0 Millimeter
Bore	0.591 Inch   15 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
Length Thru Bore	1.126 Inch   28.6 Millimeter
Nominal Bolt Circle Diameter Round	3 Inch   76 Millimeter

Bolt Spacing	3.012 Inch   76.5 Millimeter
--------------	------------------------------