

# KOYO 83A400C3 deep groove ball bearings

What are the dimensions of a KOYO 83A400C3 deep groove ball bearings? Manufacturing Service . Get Your Free, Instant 0.0 Inventory Quote

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	476 lb
EAN	0013992059727
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-Expansion
Mounting Bolts	30 Millimeter
Relubricatable	Yes
Insert Part Number	MSE608BR
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Inch
Other Features	Single Row   Medium Duty   With Support   Wide Inner Ring
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80

Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	421.15
d	6.5 Inch   165.1 Millimeter
Actual Bolt Center to Center	17.6 Inch   448Millimeter
B	10.512 Inch   267 Millimeter
Nominal Bolt Center to Center	17.6 Inch   448 Millimeter
D	5.512 Inch   140 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
Shaft Size	6.5 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Retained Type
Support Type	Four-Bolt Plummer Block
Series Type	Medium Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – Standard
Bolt Size	4 x M30
Dimension H	10.512 in
Dimension H1	1.7 in
Dimension H2	21.1 in
Dimension J	17.6 in
Dimension K	6.8 in
Dimension L	23.5 in
Dimension M	9.5 in
Housing Width	9.1 in
Cr – Dynamic Load Rating	189289 lbf
Cor – Static Load Rating	264151 lbf
Ca – Axial Load Rating	13803 lbf

Maximum Speed	1200 rpm
Note	This product line was formerly known as "Revolvo"