

# KOYO FNTK-5580 needle roller bearings

offers a KOYO FNTK-5580 needle roller bearings selection of Genuine N/A Minimum Buy Quantity at Wholesale Prices. We are a KOYO FNTK-5580 needle roller bearings Certified 0.0 Inventory SKF Manufacturer Name Parts Retailer

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	9.53
EAN	7316576674952
Product Group	M06288
Number of Mounting Holes	2
Mounting Method	Concentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/4 Inch
Relubricatable	Yes
Insert Part Number	22215
Seals	Trigard
Housing Configuration	1 Piece Solid
Inch – Metric	Inch
Other Features	Double Row   Heavy Duty   Locating Bearing   Open End   With Set Screw

Long Description	2 Bolt Pillow Block; 3" Bore; 3-1/4" Base to Center Height; Concentric Collar Mount; Spher
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	SYR 3 H
Weight / LBS	21
Nominal Bolt Center to Center	8.1 Inch   206.4 Millimeter
D	3.625 Inch   92.075 Millimeter
d	3 Inch   76.2 Millimeter
Bolt Spacing Minimum	7.813 Inch   198.44Millimeter
B	3.25 Inch   82.55 Millimeter
Actual Bolt Center to Center	0 Inch   0Millimeter
Bolt Spacing Maximum	8.438 Inch   214.325Millimeter
bore diameter:	3.0000 in
bolt center-to-center length:	8-1/8 in
overall length:	10.4375 in
base width:	2-9/16 in
overall height:	6.4375 in
expansion type:	Non-Expansion Bearing (Fixed)
mounting:	Two-Bolt Base
finish/coating:	Uncoated
bearing type:	Spherical Roller
seal type:	Tri-Guard
bore type:	Round
radial dynamic load capacity:	47500 lbf
housing construction:	Solid Pillow Block

radial static load capacity:	54000 lbf
base to bore centerline:	3.2500 in
maximum rpm:	1600 RPM
duty type:	Standard Duty
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
series:	SYR
locking device:	Concentric Collar
replacement bearing:	22215