

KOYO KUX070 2RD angular contact ball bearings

Various types 0.0 Inventory and NTN Manufacturer Name sizes to accommodate your KOYO KUX070 2RD angular contact ball bearings requirements.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	11.35
EAN	4547359234176
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	33/64 Inch
Relubricatable	Yes
Insert Part Number	A-UEL207-107D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Inch
Long Description	2 Bolt Flange Block; 1-7/16" Bore; 5.1" Bolt Circle; 5-1/8" Bolt Spacing; 1 Piece Sol

Other Features	Single Row Wide Inner Race Has Flinger With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	UELFLU-1.7/16
Weight / LBS	25
Nominal Bolt Circle Diameter Round	5.1 Inch 130 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
d	1.438 Inch 36.525 Millimeter
Cartridge Pilot Diameter	0 Inch 0 Millimeter
D	2.012 Inch 51.1 Millimeter
Bolt Spacing	5.125 Inch 130.18 Millimeter
bore diameter:	1.4375 in
expansion type:	Non-Expansion Bearing (Fixed)
bolt center-to-center length:	5.1250 in
seal type:	Contact with Flinger
overall length/diameter:	6.1563 in
length through bore:	2-3/32 in
bore type:	Round
finish/coating:	Uncoated
duty type:	Standard Duty
lubrication type:	Lubrication Fitting
mounting type:	Two-Bolt Flange
series:	UELFLU

housing material:	Cast Iron
standards met:	ISO, AFBMA
locking device:	Eccentric Collar
replacement bearing:	A-UEL207-107D1