

# K0Y0 M6314ZZ deep groove ball bearings

Our highly-skilled and factory-trained service experts have the resources to help N/A Minimum Buy Quantity you with all your K0Y0 M6314ZZ deep groove ball bearings needs – including 0.0 Inventory routine maintenance, major repairs, warranty service, and equipment inspections.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.5
EAN	4547359019438
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	8 Millimeter
Relubricatable	No
Insert Part Number	AS205
Seals	Single Lip Contour Riding
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch – Metric	Metric

Long Description	2 Bolt Flange Block; 25MM Bore; 76MM Bolt Circle; 76MM Bolt Spacing; 1 Piece Solid; Set Screw Mount;
Other Features	Single Row   Light Duty   Narrow Inner Race
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	ASFD205
Weight / LBS	1.1
d	0.984 Inch   25 Millimeter
Bolt Spacing	2.992 Inch   76 Millimeter
Cartridge Pilot Depth	0 Inch   0 Millimeter
Nominal Bolt Circle Diameter Round	3 Inch   76 Millimeter
D	1.063 Inch   27 Millimeter
Cartridge Pilot Diameter	0 Inch   0 Millimeter
bore diameter:	25 mm
expansion type:	Non-Expansion Bearing (Fixed)
bolt center-to-center length:	3.0000 in
radial dynamic load capacity:	3150 lb
overall length/diameter:	3.7500 in
radial static load capacity:	1770 lb
bore type:	Round
length through bore:	1-9/64 in
duty type:	Light Duty
finish/coating:	Uncoated

mounting type:	Two-Bolt Flange
series:	ASFD2
housing material:	Cast Iron
standards met:	ISO, AFBMA
locking device:	Set Screw
replacement bearing:	AS205