

# KOYO N348 cylindrical roller bearings

What is the best place to buy KOYO N348 cylindrical roller bearings SKF Manufacturer Name online? Manufacturing 0.0 Inventory N/A Minimum Buy Quantity Service .

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	3.72
EAN	7316577026866
Product Group	M06288
Number of Mounting Holes	4
Mounting Method	Concentric Collar
Housing Style	4 Bolt Round Flange Cartridge
Rolling Element	Spherical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	7/16 Inch
Relubricatable	Yes
Insert Part Number	22210
Seals	Trigard
Housing Configuration	1 Piece Solid
Pilot Configuration	With Pilot
Inch – Metric	Inch

Long Description	4 Bolt Round Flange Cartridge; 1-15/16" Bore; 5.4" Bolt Circle; 3.8" Bolt Spacing; 1
Other Features	Double Row   Heavy Duty   Open End   With Set Screw
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.80
Noun	Bearing
Keyword String	Flanged
Manufacturer Item Number	FYRP 1.15/16-29
Weight / LBS	8.2
Cartridge Pilot Diameter	4.5 Inch   114.3 Millimeter
d	1.938 Inch   49.225 Millimeter
Bolt Spacing	3.8 Inch   95.5 Millimeter
D	2.875 Inch   73.02 Millimeter
Cartridge Pilot Depth	0.875 Inch   22.225 Millimeter
Nominal Bolt Circle Diameter Round	5.4 Inch   138 Millimeter
bore diameter:	1-15/16 in
expansion type:	Non-Expansion Bearing (Fixed)
bolt center-to-center length:	5.3750 in
seal type:	Labyrinth
overall length/diameter:	6.3750 in
overall depth:	3-5/32 in
flange mounting type:	Four-Bolt Piloted Flange
radial dynamic load capacity:	19000 lb

bearing type:	Spherical Roller
radial static load capacity:	22500 lb
housing construction:	Solid Flange Mount
operating temperature range:	-5 to +230 °F
bore type:	Round
finish/coating:	Uncoated
duty type:	Standard Duty
lubrication type:	Lubrication Fitting
housing material:	Cast Iron
series:	222
locking device:	Set Screw