KOYO NAO35X50X34 needle roller bearings

Our highly-skilled and factory-trained service experts have the resources to help you with all your KOYO NAO35X50X34 needle roller bearings needs — including routine maintenance, major repairs, warranty service, and 0.0 Inventory SKF Manufacturer Name equipment inspections.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0
EAN	7316571589879
Product Group	B00308
Enclosure	0pen
Flush Ground	Yes
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1 ISO PO
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Brass
Contact Angle	40 Degree
Internal Clearance	СВ
Number of Bearings	1 (Single)
Mounting Arrangement	Universal
Inch — Metric	Metric

Long Description	80MM Bore; 170MM Outside Diameter; 39MM Width; Open; Yes Flush Ground; Ball Bearing; Single Row of B
Other Features	Normal Axial Internal Clearance
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer Item Number	7316 BECBY/W64
d	3.15 Inch 80 Millimeter
D	6.693 Inch 170 Millimeter
В	1.535 Inch 39 Millimeter
bore diameter:	80 mm
snap ring included:	Without Snap Ring
outside diameter:	170 mm
bearing material:	Chrome Steel
overall width:	39 mm
radial dynamic load capacity:	30349 lbf
contact angle:	40 °
radial static load capacity:	24729 lbf
row type & fill slot:	Single-Row Non-Fill Slot
operating temperature range:	0 °F to 185 °F
internal clearance:	C0
cage material:	Steel
bore type:	Round
finish/coating:	Uncoated
closure type:	0pen

application:	Metal manufacturing, Paper mills, Steel mills—plate, slab, strip, blast furnace, Overhead cran
--------------	------------------------------------------------------------------------------------------------