

# KOYO OB87 deep groove ball bearings

KOYO OB87 deep groove ball bearings Deal is your REGAL BELoit Manufacturer Name source for OEM and accessories. We sell Genuine 0.0 Inventory N/A Minimum Buy Quantity at discount prices.

|                           |  |
|---------------------------|--|
| Inventory                 | 0.0  |
| Manufacturer Name         | REGAL BELoit   |
| Minimum Buy Quantity      | N/A  |
| Weight                    | 0.82   |
| EAN                       | 0662289523160  |
| Product Group             | M06110   |
| Number of Mounting Holes  | 2  |
| Mounting Method           | Eccentric Collar   |
| Housing Style             | 2 Bolt Pillow Block                                      |
| Rolling Element           | Ball Bearing   |
| Housing Material          | Cast Iron  |
| Expansion / Non-expansion | Non-expansion  |
| Mounting Bolts            | 3/8 Inch   |
| Relubricatable            | Yes  |
| Insert Part Number        | VE-114   |
| Seals                     | Single Lip Contact                                       |
| Housing Configuration     | 1 Piece Solid  |
| Inch – Metric             | Inch   |
| Other Features            | Single Row   Spherical   Intermediate Duty   Has Flinger |

|                               |  |
|-------------------------------|--|
| Long Description              | 2 Bolt Pillow Block; 7/8" Bore; 1-7/16" Base to Center Height; Eccentric Collar Mount; Bal |
| UNSPSC                        | 31171511   |
| Harmonized Tariff Code        | 8483.20.40.40  |
| Noun                          | Bearing  |
| Keyword String                | Pillow Block   |
| Manufacturer Item Number      | VPE-114  |
| Manufacturer Internal Number  | 767554   |
| Weight / LBS                  | 1.8  |
| Actual Bolt Center to Center  | 4.1 Inch   105Millimeter   |
| B                             | 1.438 Inch   36.525 Millimeter   |
| Bolt Spacing Maximum          | 0 Inch   0Millimeter   |
| Nominal Bolt Center to Center | 4.1 Inch   105 Millimeter  |
| d                             | 0.875 Inch   22.225 Millimeter   |
| Bolt Spacing Minimum          | 0 Inch   0Millimeter   |
| D                             | 1.266 Inch   32.156 Millimeter   |