

# KOYO RSU475230F-1 needle roller bearings

Online KOYO RSU475230F-1 needle roller bearings N/A Minimum Buy Quantity Expert.More Choices. KOYO RSU475230F-1 needle roller bearings in Stock & 0.0 Inventory Ready to Ship Now!

Inventory	0.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	291 lb
EAN	0013992058454
Product Group	B04144
Number of Mounting Holes	4
Mounting Method	Clamp Collar
Housing Style	4 Bolt Pillow Block
Rolling Element	Cylindrical Roller Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Expansion
Mounting Bolts	24 Millimeter
Relubricatable	Yes
Insert Part Number	LSE700BX
Seals	Triple Lip Labyrinth
Housing Configuration	2 Piece Split
Inch – Metric	Inch
Other Features	Single Row   Light Duty   With Support   Wide Inner Ring
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.80

Noun	Bearing
Keyword String	Pillow Block
Weight / LBS	251.44
D	4.291 Inch   109 Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
d	7 Inch   177.8 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
B	9.252 Inch   235 Millimeter
Nominal Bolt Center to Center	15.3 Inch   388 Millimeter
Actual Bolt Center to Center	15.3 Inch   388Millimeter
Shaft Size	7 in
Seal Type	Aluminium Triple Labyrinth
Bearing Type	Split Cylindrical Expansion Type
Support Type	Four-Bolt Plummer Block
Series Type	Light Series
Pillow/Plummer Block Style	Split Cylindrical Housed Unit – Standard
Bolt Size	4 x M24
Dimension H	9.252 in
Dimension H1	1.4 in
Dimension H2	18.5 in
Dimension J	15.3 in
Dimension K	5.0 in
Dimension L	21.0 in
Dimension M	7.5 in
Housing Width	7.9 in
Cr – Dynamic Load Rating	117800 lbf
Cor – Static Load Rating	186142 lbf

Maximum Speed	1220 rpm
Note	This product line was formerly known as “Revolvo”