

KOYO SAPP205-16 bearing units

KOYO SAPP205-16 bearing units Warehouse offers car parts and car 0.0 Inventory accessories. We sell discount online as well as cheap machinery parts.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	1.8
EAN	7316570392784
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Adapter Sleeve
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	14 Millimeter
Relubricatable	Yes
Insert Part Number	YSA 208-2FK
Seals	M Seal
Housing Configuration	1 Piece Solid
Inch – Metric	Metric
Other Features	Single Row Y Bearing
Long Description	2 Bolt Pillow Block; 35MM Bore; 49.2MM Base to Center Height; Adapter Sleeve Mount; Ball Bearing; Re
UNSPSC	31171511

Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	SYJ 40 KF
Weight / LBS	3.97
Bolt Spacing Minimum	0 Inch 0Millimeter
Nominal Bolt Center to Center	5.4 Inch 136 Millimeter
d	35 mm
Bolt Spacing Maximum	0 Inch 0Millimeter
D	1.811 Inch 46 Millimeter
B	1.937 Inch 49.2 Millimeter
Actual Bolt Center to Center	5.4 Inch 136Millimeter
Housing material	Cast iron
A	49 mm
A1	31 mm
B1	46 mm
H	99 mm
H1	49.2 mm
H2	18 mm
J	136.5 mm
J max.	145 mm
J min.	128 mm
L	184 mm
N	25.5 mm
N1	17 mm
s1	27.5 mm
RG	1/4-28 UNF
R1	3.5 mm
Rα	45 °

DN	6.5 mm
SWN	7 mm
GN	1/4-28 SAE-LT
J6	170 mm
J7	17.5 mm
N4	4 mm
Basic dynamic load rating C	30.7 kN
Basic static load rating C0	19 kN
Fatigue load limit Pu	0.8 kN
Limiting speed	4800 r/min
Mass bearing unit	2.17 kg
Appropriate spanner	HN 8-9
Recommended lock nut tightening angle α	105 °
Recommended diameter for attachment bolts, mm G	14 mm
Recommended diameter for attachment bolts, inch G	0.5625 in
Housing	SYJ 508
Bearing	YSA 208-2FK
Adapter sleeve	H 2308