

# Loyal RKS.160.14.0844 Medium size crossed cylindrical roller slewing bearing without a gear

Request A 32 Outer Diameter (mm) Quote For Your Special Loyal RKS.160.14.0844 Medium size crossed cylindrical roller slewing bearing without a gear Needs 12x32x10 Size (mm) Today! Free Quotes. ISO 9001 certified.

Size (mm)	12x32x10
Bore Diameter (mm)	12
Outer Diameter (mm)	32
Width (mm)	10
d	12 mm
D	32 mm
B	10 mm
C	10 mm
r min.	0,6 mm
da min.	16 mm
Da max.	28 mm
ra max.	0,6 mm
Weight	0,039 Kg
Basic dynamic load rating (C)	5,7 kN
Basic static load rating (C0)	1,27 kN
(Grease) Lubrication Speed	22 000 r/min
(Oil) Lubrication Speed	26 000 r/min
Calculation factor (e)	0,36

Calculation factor (Y0)	1,8
Calculation factor (Y2)	2,7
SRI	2.5
Y3	1.8
hidYobi	1201
LangID	1
PCD	21.2
D_	32
Y2	2.7
SREX	0
cyl count	10
B_	10
hidTable	ecat_NSSAB
Oil rpm	26000
SRE	0
Y0	1.8
mass	0.039
ra	0.6
GRS rpm	22000
SRIX	0.03
groove inner	16.432
D_a	28
SRIN	0
C0	1.27
groove outer	26.555
SREN	0
X0	1
Prod_Type3	SABB_SA_CB
X1	1

da	16
X2	0.65
e	0.36
yobi	1201
r	0.6
KBRG	1352
CAnG	13.399
cyl dia	4.762