

# LS GX35S plain bearings

Can't find what you're looking for LS GX35S plain bearings ? Our expert Representatives be 26.0 Inventory in contact with you shortly!

Inventory	26.0
Manufacturer Name	TIMKEN
Minimum Buy Quantity	N/A
Weight	1.609 lb
EAN	0087796056688
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/8 Inch
Relubricatable	Yes
Insert Part Number	G1012KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch – Metric	Inch
Other Features	Single Row   Spherical   Normal Duty   Low Base   With Set Screw

Long Description	2 Bolt Pillow Block; 3/4" Bore; 1-1/4" Base to Center Height; Eccentric Collar Mount; Ball
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer Item Number	RAK 3/4
Weight / LBS	1.4
d	0.75 Inch   19.05 Millimeter
Bolt Spacing Minimum	0 Inch   0Millimeter
Bolt Spacing Maximum	0 Inch   0Millimeter
D	1.719 Inch   43.663 Millimeter
B	1.25 Inch   31.75 Millimeter
Actual Bolt Center to Center	3.8 Inch   96Millimeter
Nominal Bolt Center to Center	3.8 Inch   97 Millimeter
Shaft Size d	3/4 in
Bearing Type	Ball Bearing
Inside Ring Outside Diameter	0.531 in
Dimension T	0.657 in
Series	Industrial
Seal Type	Shroud Seal
Base to Center Height H	31.75 mm
Total Length L	127.00 mm
Total Width A	1.311 in
Bolt Hole Spacing J	96 mm
Bolt Hole Width N	11.1 mm
Bolt Hole Length N1	20.2 mm
Foot Height H1	13.5 mm

Total Height H2	64.3 mm
Dimension L1	42.3 mm
Inside Ring Width B	=Bearings1_Inside Ring Width= mm
Center of Bearing from End S	17.1 mm
Dimension B1	1.72 in
Static Load Rating	1460 lbf
Dynamic Load Rating	3190 lbf