

# NACHI 21317AX cylindrical roller bearings

NACHI 21317AX cylindrical roller bearings 135x100x11 Size (mm)  
100 Outer Diameter (mm) Manufacturers , 135 Bore Diameter (mm)  
Online Wholesale Suppliers !

Size (mm)	135x100x11
Bore Diameter (mm)	135
Outer Diameter (mm)	100
Width (mm)	11
d	100 mm
D	135 mm
Dw	11 mm
Ea	104 mm
Eb	131 mm
Basic dynamic load rating – C	156 kN
Basic static load rating – C0	630 kN
Fatigue load limit – Pu	62 kN
Reference speed	1200 r/min
Limiting speed	2400 r/min
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0.286
EAN	7316577310545
Product Group	B04144
Rolling Element	Cylindrical Roller Bearing
Self Aligning	No

Component Description	Roller Assembly Only
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Polyamide
Precision Class	ABEC 1   ISO P0
Other Features	Single Row   Injection Molded Cage
Long Description	100MM Bore 1; 100MM Bore 2; 135MM Outside Diameter; 11MM Height; Cylindrical Roller Bearing; Single
Inch – Metric	Metric
UNSPSC	31171500
Harmonized Tariff Code	8482.99.25.60
Noun	Roller Assembly
Keyword String	Thrust Cylindrical
Manufacturer Item Number	K 81120 TN
Weight / LBS	0.631
Bore 2	3.937 Inch   100 Millimeter
Bore 1	3.937 Inch   100 Millimeter
Height	0.433 Inch   11 Millimeter
Overall Height with Aligning Washer	0 Inch   0 Millimeter
Outside Diameter	5.315 Inch   135 Millimeter
Basic dynamic load rating C	156 kN
Basic static load rating C0	630 kN
Fatigue load limit Pu	62 kN
Mass roller and cage thrust assembly	0.25 kg

Roller and cage thrust assembly	K 81120 TN
Shaft washer	WS 81120
Housing washer	GS 81120
Universal washer	LS 100135