

# NACHI 22314EX cylindrical roller bearings

NACHI 22314EX cylindrical roller bearings, Units and Housings CAD 35,1 mm S1 models , 45 Bore Diameter (mm) Manufacturing Service . Get 45 mm d Your Free.

|                               |                  |
|-------------------------------|------------------|
| Bore Diameter (mm)            | 45               |
| d                             | 45 mm            |
| S1                            | 35,1 mm          |
| Thread (Q)                    | Rp1/8            |
| d3                            | 63 mm            |
| A                             | 48 mm            |
| A1                            | 32 mm            |
| B1                            | 56,5 mm          |
| H                             | 54 mm            |
| H1                            | 21,5 mm          |
| H2                            | 107 mm           |
| J                             | 150 mm           |
| L                             | 192 mm           |
| N                             | 14 mm            |
| N1                            | 29 mm            |
| Weight                        | 2,28 Kg          |
| Basic dynamic load rating (C) | 32,5 kN          |
| Inventory                     | 0.0              |
| Manufacturer Name             | SCHAEFFLER GROUP |
| Minimum Buy Quantity          | N/A              |
| Weight / Kilogram             | 2.4              |
| EAN                           | 4012802792249    |

|                               |  |
|-------------------------------|--|
| Product Group                 | M06110   |
| Number of Mounting Holes      | 2  |
| Mounting Method               | Eccentric Collar   |
| Housing Style                 | 2 Bolt Pillow Block  |
| Rolling Element               | Ball Bearing   |
| Housing Material              | Cast Iron  |
| Expansion / Non-expansion     | Non-expansion  |
| Relubricatable                | Yes  |
| Insert Part Number            | GE45KRRB   |
| Seals                         | Double Land Riding Rubber Contact  |
| Housing Configuration         | 1 Piece Solid  |
| Inch – Metric                 | Metric   |
| Other Features                | Single Row   Standard Shaft Height   With Set Screw  |
| Long Description              | 2 Bolt Pillow Block; 45MM Bore; 54MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; 13 |
| UNSPSC                        | 31171511   |
| Harmonized Tariff Code        | 8483.20.40.40  |
| Noun                          | Bearing  |
| Keyword String                | Pillow Block   |
| Manufacturer Item Number      | RASE45   |
| Weight / LBS                  | 5.292  |
| Nominal Bolt Center to Center | 5.8 Inch   146.5 Millimeter  |
| Bolt Spacing Maximum          | 6.319 Inch   160.5Millimeter   |
| Bolt Spacing Minimum          | 5.374 Inch   136.5Millimeter   |
| Actual Bolt Center to Center  | 0 Inch   0Millimeter   |
| Bore                          | 1.772 Inch   45 Millimeter   |

|                       |                              |
|-----------------------|------------------------------|
| Base to Center Height | 2.126 Inch   54 Millimeter   |
| Length Thru Bore      | 2.217 Inch   56.3 Millimeter |