

# NACHI 24080EK30 cylindrical roller bearings

Advance NACHI 24080EK30 cylindrical roller bearings is your source for quality and accessories. shop online for home delivery or pick up in NSK Manufacturer Name one of 0.0 Inventory our 10000 .

Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight	1.5
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring – One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	Standard Capacity   1 Rib Inner Ring   2 Rib Outer Ring   Medium Series   Cage on Outer Ring ID

Long Description	50MM Bore; Straight Bore Profile; 110MM Outside Diameter; 27MM Width; Brass Cage Material; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NJ310M
Weight / LBS	3.307
B	1.063 Inch   27 Millimeter
d	1.969 Inch   50 Millimeter
D	4.331 Inch   110 Millimeter
bore diameter:	50 mm
static load capacity:	19400 lbs
outside diameter:	110 mm
precision rating:	Not Rated
overall width:	27 mm
maximum rpm:	6700 RPM
flanges:	(2) Outer Ring, (1) Inner Ring
cage material:	Brass
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1
closure type:	Open
internal clearance:	C0
application:	Electric Motors, Printing Presses, Turbines, Construction Equipment, Transmissions, Crushers, Blower
ring separation:	Separable Ring

outer ring width:	27 mm
operating temperature range:	Maximum of +250 °F
fillet radius:	0.079 in
dynamic load capacity:	19500 lb
series:	300