

# NACHI 6211ZE deep groove ball bearings

How do I place an EMERGENCY order for a NACHI 6211ZE deep groove ball bearings 28.58×44.45×1.9837 Size (mm) 44,45 Outer Diameter (mm) that I want to pick up at a our store?

|                               |                       |
|-------------------------------|-----------------------|
| Size (mm)                     | 28.58×44.45×1.9837    |
| Bore Diameter (mm)            | 28,58                 |
| Outer Diameter (mm)           | 44,45                 |
| Width (mm)                    | 1,9837                |
| d                             | 28,58 mm              |
| D                             | 44,45 mm              |
| T                             | 1,9837 mm             |
| Ea                            | 41,656 mm             |
| Eb                            | 30,73 mm              |
| Weight                        | 0,009 Kg              |
| Basic dynamic load rating (C) | 16,68 kN              |
| Basic static load rating (C0) | 71,17 kN              |
| Inventory                     | 277.0                 |
| Manufacturer Name             | KOYO                  |
| Minimum Buy Quantity          | N/A                   |
| Weight / Kilogram             | 0.007                 |
| EAN                           | 0605790188169         |
| Product Group                 | B04144                |
| Rolling Element               | Needle Roller Bearing |
| Self Aligning                 | No                    |
| Component Description         | Roller Assembly Only  |
| Thrust Bearing                | Yes                   |

|                                     |                                                                                        |
|-------------------------------------|----------------------------------------------------------------------------------------|
| Single or Double Direction          | Single Direction                                                                       |
| Banded                              | No                                                                                     |
| Cage Material                       | Steel                                                                                  |
| Precision Class                     | ABEC 1   ISO P0                                                                        |
| Other Features                      | Single Row   Two Piece Cage                                                            |
| Long Description                    | 1-1/8" Bore 1; 1-1/8" Bore 2;<br>1-3/4" Outside Diameter; 5/64"<br>Height; Needle Roll |
| Inch – Metric                       | Inch                                                                                   |
| UNSPSC                              | 31171500                                                                               |
| Harmonized Tariff Code              | 8482.99.25.40                                                                          |
| Noun                                | Roller Assembly                                                                        |
| Keyword String                      | Thrust Needle                                                                          |
| Manufacturer Item Number            | NTA-1828                                                                               |
| Weight / LBS                        | 0.019                                                                                  |
| Outside Diameter                    | 1.75 Inch   44.45 Millimeter                                                           |
| Bore 2                              | 1.125 Inch   28.575 Millimeter                                                         |
| Bore 1                              | 1.125 Inch   28.575 Millimeter                                                         |
| Overall Height with Aligning Washer | 0 Inch   0 Millimeter                                                                  |
| Height                              | 0.078 Inch   1.981 Millimeter                                                          |
| Bearing No.                         | NTA-1828                                                                               |
| Dc1                                 | 28.58                                                                                  |
| Dc                                  | 44.45                                                                                  |
| Dw                                  | 1.9837                                                                                 |
| Ca                                  | 16.68                                                                                  |
| C0a                                 | 71.17                                                                                  |
| Cu                                  | 7.30                                                                                   |
| Limiting speeds(min-1)              | 9600                                                                                   |
| (Refer.)Mass(kg)                    | 0.009                                                                                  |

|                         |          |
|-------------------------|----------|
| Washer designation      | TRA-1828 |
| d1                      | 44.45    |
| h(max)                  | 0.81     |
| h(min)                  | 0.76     |
| S(max)                  | 28.58    |
| S(min)                  | 28.50    |
| H                       | 45.24    |
| (Refer.)Washer mass(kg) | 0.006    |