

# NACHI 6216ZNR deep groove ball bearings

100% Authentic. N/A Minimum Buy Quantity NACHI 6216ZNR deep groove ball bearings Highest Quality. SKF Manufacturer Name Certified Supplier. 0.0 Inventory

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	15.944
EAN	7316576667978
Product Group	M06110
bore diameter:	65 mm
seal type:	Labyrinth Seal
overall length:	13.0000 in
base height:	1.2500 in
overall height:	6.5938 in
maximum operating temperature:	Max 210 °F
mounting:	Two-Bolt Base
maximum rpm:	6000 rpm
bearing type:	Spherical Roller
lubrication type:	Lubrication Fitting
bore type:	Round
bolt size:	0.8750 in
housing construction:	Split Pillow Block
series:	SAF1313
base to bore centerline:	3.5000 in
replacement bearing:	1313 ETN9

housing material:	Cast Iron
weight:	35.1 lbs
bearing material:	Cast Iron
manufacturer product page:	<a href="#">Click here</a>
finish/coating:	Blue Alkyd/Acryl Paint (RAL 5001)
manufacturer upc number:	7316576667978
overall width:	5.3125 in
da	65 mm
db	77.787 mm
dc	61.913 mm
Da	140 mm
Ca	57.785 mm
A1	88.9 mm
A2	134.938 mm
ba	32.544 mm
H	167.481 mm
H1	88.9 mm
H2	31.75 mm
J min.	244.475 mm
J max.	279.4 mm
L	330.2 mm
N1	22.225 mm
R1	53.181 mm
R2	21.431 mm
RG	3/8 NPT
PG	1/8 NPT
h	36.513 mm
Housing	SAF 313

Bearing	1313 ETN9
Lock nut	N 13
Lock washer	W 13
Stabilizing ring	2 x SR-1613
Labyrinth ring (db shaft position)	LOR 55
Labyrinth ring (dc shaft position)	LOR 37
End plug (suffix Y)	EPR 7
Bearing limiting speed	6000 r/min
P60°	83.2 kN
P90°	49.8 kN
P120°	30.2 kN
P150°	26.7 kN
P180°	31.6 kN
Pa	20.5 kN
Mass pillow block	15.9 kg
Cap bolt	2 x 5/8-11 UNC
Cap bolt recommended tightening torque	298.3 N·m
Cap bolt, SAE grade	8
Appropriate attachment bolt size G	0.75 in
Initial grease fill	175.77 g