

NACHI 6806ZENR deep groove ball bearings

Manufacturers of all are represented in our partial 170 Outer Diameter (mm) list of clients. Contact Gary for a complete NACHI 6806ZENR deep groove ball bearings list of clients 80x170x68 Size (mm) and projects.

Size (mm)	80x170x68
Bore Diameter (mm)	80
Outer Diameter (mm)	170
Width (mm)	68
d	80 mm
D	170 mm
T	68 mm
d1	170 mm
r min.	2,1 mm
D1	83 mm
da min.	133 mm
Da max.	117 mm
ra max.	2 mm
Weight	7,21 Kg
Basic dynamic load rating (C)	272 kN
Basic static load rating (C0)	620 kN
(Grease) Lubrication Speed	900 r/min
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	7.2

Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Single Direction
Banded	No
Cage Material	Steel
Precision Class	Non-Precision
Component Description	Roller Assembly Plus Raceways
Other Features	Single Row With Flat Seat
Long Description	80MM Bore 1; 83MM Bore 2; 170MM Outside Diameter; 68MM Height; Ball Bearing; Single Direction; Not B
Inch – Metric	Metric
UNSPSC	31171552
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Weight / LBS	15.89533
Bore 1	3.15 Inch 80 Millimeter
Overall Height with Aligning Washer	0 Inch 0 Millimeter
Bore 2	3.268 Inch 83 Millimeter
Outside Diameter	6.693 Inch 170 Millimeter
Height	2.677 Inch 68 Millimeter
SRI	17.15
hidYobi	51416
LangID	1
D_	170
SREX	0.125

C	272
B_	68
hidTable	ecat_NSSDTB
Oil rpm	1300
SRE	17.15
mass	7.21
GRS rpm	900
ra	2
SRIX	0.125
D_a	117
SRIN	0
C0	620
SREN	0
D_1	83
Prod_Type3	TB_SD_WFS
da	133
DA_	31.75
Z_	10
yobi	51416
SDM_	125
r	2.1
T_	68
KBRG	5111