NACHI 6902ZENR deep groove ball bearings

Our highly-skilled and factory-trained service experts have the resources to help you with all your NACHI 6902ZENR deep groove ball bearings needs — including routine 0.0 Inventory maintenance, major repairs, warranty service, and equipment inspections.

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight	0.589
EAN	4547359223354
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	3/8 Inch
Relubricatable	Yes
Insert Part Number	A-UC204-012D1
Seals	Single Lip Land Riding
Housing Configuration	1 Piece Solid
Inch — Metric	Inch
Other Features	Single Row Wide Inner Race Low Base Has Flinger

2 Bolt Pillow Block; 3/4" Bore; Long Description 1-1/4" Base to Center Height; Set Screw Mount; Ball Bearin UNSPSC 31171511 Harmonized Tariff Code 8483.20.40.40 Noun Bearing Keyword String Pillow Block Manufacturer Item Number UCPL-3/4 Weight / LBS 1.3 B 1.25 Inch 31.75 Millimeter d 0.75 Inch 19.05 Millimeter Bolt Spacing Maximum 0 Inch 0Millimeter Actual Bolt Center to Center 3.8 Inch 96Millimeter D 1.221 Inch 31.013 Millimeter Bolt Spacing Minimum 0 Inch 0Millimeter
Set Screw Mount; Ball Bearin UNSPSC 31171511 Harmonized Tariff Code 8483.20.40.40 Noun Bearing Keyword String Pillow Block Manufacturer Item Number UCPL-3/4 Weight / LBS 1.3 B 1.25 Inch 31.75 Millimeter d 0.75 Inch 19.05 Millimeter Bolt Spacing Maximum 0 Inch 0Millimeter Actual Bolt Center to Center 3.8 Inch 96Millimeter D 1.221 Inch 31.013 Millimeter
UNSPSC 31171511 Harmonized Tariff Code 8483.20.40.40 Noun Bearing Keyword String Pillow Block Manufacturer Item Number UCPL-3/4 Weight / LBS 1.3 B 1.25 Inch 31.75 Millimeter d 0.75 Inch 19.05 Millimeter Bolt Spacing Maximum 0 Inch 0Millimeter Actual Bolt Center to Center 3.8 Inch 96Millimeter D 1.221 Inch 31.013 Millimeter
Harmonized Tariff Code Noun Bearing Keyword String Pillow Block Manufacturer Item Number UCPL-3/4 Weight / LBS 1.3 B 1.25 Inch 31.75 Millimeter d 0.75 Inch 19.05 Millimeter Bolt Spacing Maximum 0 Inch 0Millimeter Actual Bolt Center to Center 3.8 Inch 96Millimeter D 1.221 Inch 31.013 Millimeter
Noun Reyword String Pillow Block Manufacturer Item Number UCPL-3/4 Weight / LBS 1.3 B 1.25 Inch 31.75 Millimeter d 0.75 Inch 19.05 Millimeter Bolt Spacing Maximum 0 Inch 0Millimeter Actual Bolt Center to Center D 1.221 Inch 31.013 Millimeter
Keyword String Pillow Block Manufacturer Item Number UCPL-3/4 Weight / LBS 1.3 B 1.25 Inch 31.75 Millimeter d 0.75 Inch 19.05 Millimeter Bolt Spacing Maximum 0 Inch 0Millimeter Actual Bolt Center to Center 3.8 Inch 96Millimeter D 1.221 Inch 31.013 Millimeter
Manufacturer Item Number Weight / LBS 1.3 B 1.25 Inch 31.75 Millimeter d 0.75 Inch 19.05 Millimeter Bolt Spacing Maximum O Inch OMillimeter Actual Bolt Center to Center D 1.221 Inch 31.013 Millimeter
Weight / LBS 1.3 B 1.25 Inch 31.75 Millimeter d 0.75 Inch 19.05 Millimeter Bolt Spacing Maximum 0 Inch 0Millimeter Actual Bolt Center to Center 3.8 Inch 96Millimeter 1.221 Inch 31.013 Millimeter
B 1.25 Inch 31.75 Millimeter d 0.75 Inch 19.05 Millimeter Bolt Spacing Maximum 0 Inch 0Millimeter Actual Bolt Center to Center 3.8 Inch 96Millimeter D 1.221 Inch 31.013 Millimeter
d 0.75 Inch 19.05 Millimeter Bolt Spacing Maximum 0 Inch OMillimeter Actual Bolt Center to Center 3.8 Inch 96Millimeter D 1.221 Inch 31.013 Millimeter
Bolt Spacing Maximum 0 Inch OMillimeter Actual Bolt Center to Center 3.8 Inch 96Millimeter D 1.221 Inch 31.013 Millimeter
Actual Bolt Center to Center 3.8 Inch 96Millimeter D 1.221 Inch 31.013 Millimeter
D 1.221 Inch 31.013 Millimeter
'
Bolt Spacing Minimum 0 Inch OMillimeter
Nominal Bolt Center to Center 3.8 Inch 97 Millimeter
mounting: Two-Bolt Base
overall length: 127 mm
bore diameter: 0.7500 in
overall height: 64.294 mm
bore type: Round
finish/coating: Uncoated
base to bore centerline: 1.2500 in
overall width: 1-7/32 in
duty type: Normal Duty
base width: 38.1 mm
housing material: Cast Iron
bolt center-to-center length: 96.044 mm
locking device: Set Screw

lubrication type:	Lubrication Fitting
expansion type:	Non-Expansion Bearing (Fixed)
series:	UCPL