

NACHI 7040CDT angular contact ball bearings

Offer High Quality Brand NACHI 7040CDT angular contact ball bearings .Contact Us Online to 60.325x127x44.45 Size (mm) 60,325 Bore Diameter (mm) Get 127 Outer Diameter (mm) Best Quote.

Size (mm)	60.325x127x44.45
Bore Diameter (mm)	60,325
Outer Diameter (mm)	127
Width (mm)	44,45
d	60,325 mm
D	127 mm
T	44,45 mm
B	44,45 mm
C	34,925 mm
ra1 max.	3,3 mm
a	35 mm
r min.	3,5 mm
r1 min.	3,3 mm
Da	107 mm
db	71 mm
ra max.	3,5 mm
da	82 mm
Db	119 mm
Weight	2,59 Kg
Basic dynamic load rating (C)	199 kN
Basic static load rating (C0)	258 kN

(Grease) Lubrication Speed	3000 r/min
(Oil) Lubrication Speed	4000 r/min
Calculation factor (e)	0,49
Calculation factor (Y0)	0,68
LangID	1
ALP23	0
outer r	3.3
ALP22	0
D_	127
ALP21	36
SHOG_yobi	65237R/65500R
RAr	187.412
inner r	3.5
GRS rpm	3000
D_b	119
D_a	107
DE_	106.065
SLR	31
Prod_Type3	TRBSR_ID_A
BETA_	2
ALPHA_	18
SDM_	91.401
DA1	16.892
DA2	14.114
hidYobi	65237/65500
Y1	1.2
B_	44.45
Oil rpm	4000
hidTable	ecat_NSTPRI

Y0	0.68
inner ra	3.5
outer rb	3.3
C0	258
CUP	1.03
e	0.49
DA_	15.513
BET21	5
BET22	10
BET23	0
Z_	16
C_	34.925
yobi	65237/65500
KBRG	3161
CONE	1.56
DI_	76.292