

# NBS LSL192332 cylindrical roller bearings

Can't find what you're looking for NBS LSL192332 cylindrical roller bearings SKF Manufacturer Name ? Our expert Representatives 0.0 Inventory be in contact with you shortly!

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.747
EAN	7316577086655
Product Group	B00308
Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1   ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Polyamide
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	95MM Bore; 170MM Outside Diameter; 32MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Ba
UNSPSC	31171531

Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Manufacturer Item Number	7219 BEP
D	170 mm
d	95 mm
B	32 mm
bore diameter:	95 mm
radial static load capacity:	108 kN
outside diameter:	170 mm
outer ring width:	32 mm
overall width:	32 mm
maximum rpm:	4300 RPM
row type & fill slot:	Single-Row Non-Fill Slot
finish/coating:	Uncoated
internal clearance:	C0
precision rating:	Not Rated
closure type:	Open
fillet radius:	2 mm
radial dynamic load capacity:	124 kN
series:	72
d1 ≈	124.3 mm
d2 ≈	109.09 mm
D1 ≈	142.45 mm
a	72 mm
r1,2 min.	2.1 mm
r3,4 min.	1.1 mm
da min.	107 mm
Da max.	158 mm

Db max.	163 mm
ra max.	2 mm
rb max.	1 mm
Basic dynamic load rating C	124 kN
Basic static load rating C0	108 kN
Fatigue load limit Pu	4 kN
Reference speed	4500 r/min
Limiting speed	4300 r/min
Calculation factor A	0.191
Calculation factor kr	0.095
Calculation factor e	1.14
Calculation factor X	0.57
Calculation factor Y0	0.52
Calculation factor Y2	0.93
Calculation factor Y1	0.55
Mass bearing	2.7 kg