

# NKE 2206-K+H306 self aligning ball bearings

QuestionNKE 2206-K+H306 self aligning ball bearings ? Find 0.0 Inventory what you need faster by entering your information .

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	2.45
EAN	7316576620775
Product Group	B00152
Mounting Method	Shaft
Enclosure	Open
Rolling Element	Ball Bearing
Cage Material	Polyamide
Precision Class	ABEC 1   ISO P0
Internal Clearance	C0-Medium
Number of Rows of Balls	Double Row
Other Features	Allowable Misalignment 3 Deg   High Capacity Design
Long Description	65MM Bore; Shaft Mount; 140MM Outside Diameter; 33MM Inner Race Width; 33MM Outer Race Width; Open;
Inch – Metric	Metric
UNSPSC	31171532
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing

Keyword String	Self Aligning
Manufacturer Item Number	1313 ETN9
Weight / LBS	5.401
Outer Race Width	1.299 Inch   33 Millimeter
d	65 mm
D	140 mm
Inner Race Width	1.299 Inch   33 Millimeter
bore diameter:	65 mm
precision rating:	Not Rated
outside diameter:	140 mm
maximum rpm:	6000 RPM
overall width:	33 mm
cage material:	Fiberglass Reinforced Nylon
bore type:	Straight
finish/coating:	Uncoated
closure type:	Open
maximum misalignment:	3 °
internal clearance:	C0
outer ring width:	33 mm
dynamic load capacity:	65 kN
fillet radius:	2 mm
static load capacity:	25.5 kN
series:	1300
B	33 mm
d1 ≈	99 mm
D1 ≈	125.2 mm
r1,2 min.	2 mm
da min.	77 mm

Da max.	128 mm
ra max.	2 mm
Basic dynamic load rating C	65 kN
Basic static load rating C <sub>0</sub>	25.5 kN
Fatigue load limit P <sub>u</sub>	1.25 kN
Reference speed	8500 r/min
Limiting speed	6000 r/min
Permissible angular misalignment $\alpha$	3 °
Calculation factor k <sub>r</sub>	0.04
Calculation factor e	0.22
Calculation factor Y <sub>0</sub>	2.8
Calculation factor Y <sub>1</sub>	2.9
Calculation factor Y <sub>2</sub>	4.5
Mass bearing	2.45 kg