

NKE 22328-K-MB-W33+H2328 spherical roller bearings

Advance NKE 22328-K-MB-W33+H2328 spherical roller bearings is your source for quality and accessories. shop online for 22 Outer Diameter (mm) home delivery or pick up in one of our 10000 7x22x7 Size (mm) .

Size (mm)	7x22x7
Bore Diameter (mm)	7
Outer Diameter (mm)	22
Width (mm)	7
d	7 mm
D	22 mm
B	7 mm
C	7 mm
d1	– mm
d2	10,6 mm
r1 min.	0,3 mm
r2 min.	0,3 mm
D2	19,2 mm
da min.	9.4 mm
da max	10,5 mm
Da max.	19.6 mm
ra max.	0.3 mm
Weight	0,012 Kg
Basic dynamic load rating (C)	3,45 kN
Basic static load rating (C0)	1,37 kN
Fatigue load limit (Pu)	0,057

Reference speed	95000 r/min
Limiting speed	53000 r/min
Calculation factor (f0)	12
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	7316572070994
Product Group	B00308
Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	Silicon Nitride Rolling Element Electrical Insulated
Cage Material	Polyamide
Enclosure Type	Contact Seal
Internal Clearance	C3-Loose
Inch – Metric	Metric
Long Description	7MM Bore; 22MM Outside Diameter; 7MM Outer Race Width; 2 Seals; Ball Bearing; ABEC 1 ISO P0; No Fi
Other Features	Deep Groove Low Friction NBR Seal Hybrid Silicon Nitride Rolling Element WT Standard Grease
UNSPSC	31171504

Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Weight / LBS	0.012
Bore	0.276 Inch 7 Millimeter
Outer Race Width	0.276 Inch 7 Millimeter
Inner Race Width	0 Inch 0 Millimeter
Outside Diameter	0.866 Inch 22 Millimeter
d2 ≈	10.6 mm
D2 ≈	19.2 mm
r1,2 min.	0.3 mm
da max.	10.5 mm
Basic dynamic load rating C	3.45 kN
Basic static load rating C0	1.37 kN
Fatigue load limit Pu	0.057 kN
Calculation factor kr	0.025
Calculation factor f0	12.3
Mass bearing	0.012 kg