

# NKE 7305-BECB-TVP angular contact ball bearings

NKE 7305-BECB-TVP angular contact ball bearings manufacturer and global 40x48x30 Size (mm) supplier of reliable ball and roller ... NKE 7305-BECB-TVP angular contact ball bearings Industries Products Manufacturing & Engineering and Agricultural Bearings designed to meet the unique requirements of our targeted industries.

Size (mm)	40x48x30
Bore Diameter (mm)	40
Outer Diameter (mm)	48
Width (mm)	30
d	40 mm
A	48 mm
A1	30 mm
A5	23.5 mm
B	49.2 mm
H	24.5 mm
H1	49.2 mm
H2	19 mm
J	135.5 mm
J – max.	146 mm
J – min.	125 mm
L	175 mm
N1	14 mm
s1	30.2 mm
J6	161 mm
J7	17 mm

N4	4 mm
DN	6.5 mm
SWN	7 mm
GN – 1/4-28 SAE-LT	1/428 SAELT
RG – 1/4-28 UNF	1/428 UNF
R1	3.5 mm
R $\alpha$	45 °
Basic dynamic load rating – C	30.7 kN
Basic static load rating – C0	19 kN
Fatigue load limit – Pu	0.8 kN
Limiting speed	2800 r/min
Weight	1.75 kg
Hexagonal key size for grub screw – H	4 mm
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	1.81
EAN	7316570436594
Product Group	M06110
Housing material	Cast iron
B4	8 mm
J max.	146 mm
J min.	125 mm
N	24.5 mm
RG	1/4-28 UNF
R $\alpha$	45 °
GN	1/4-28 SAE-LT
Basic dynamic load rating C	30.7 kN
Basic static load rating C0	19 kN

Fatigue load limit Pu	0.8 kN
Mass bearing unit	1.75 kg
Thread grub screw G2	M8x1
Hexagonal key size for grub screw N	4 mm
Recommended tightening torque for grub screw	6.5 N·m
Recommended diameter for attachment bolts, mm G	12 mm
Recommended diameter for attachment bolts, inch G	0.5 in
Housing	SY 508 M
Bearing	YAR 208-2RF
End cover	ECY 208