

# NKE 7320-BECB-MP angular contact ball bearings

Welcome to 0.0 Inventory the NKE 7320-BECB-MP angular contact ball bearings SKF Manufacturer Name online seller.

Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	0.249
EAN	7316571592596
Product Group	B04120
Roller Surface Profile	Crowned
Profile	Yoke Type
Enclosure	Sealed
Rolling Element	Needle Bearing
Relubricatable	Yes
Inch – Metric	Metric
Other Features	Caged   With Flanged Inner Ring   3 Stage Sealing
Long Description	20MM Bore; 47MM Roller Diameter; 24MM Roller Width; Crowned Roller; Yoke Type; Sealed; Needle Bearin
UNSPSC	31171530
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Cam Follower
Manufacturer Item Number	NATR 20 PPA
Weight / LBS	0.551

d	20 mm
Roller Diameter	1.85 Inch   47 Millimeter
Roller Width	0.945 Inch   24 Millimeter
roller diameter:	47 mm
radial static load capacity:	33.5 kN
roller width:	25 mm
roller material:	Chrome Steel
bore diameter:	20 mm
maximum rpm:	3000 RPM
roller shape:	Crowned
lubrication hole location:	Inner Ring
bearing element:	Needle Rollers
axial dynamic load capacity:	14.7 kN
closure type:	Sealed
axial static load capacity:	24.5 kN
operating temperature range:	-30 to +100 °C
standards met:	ANSI/ABMA Standard 18.1, ISO 7063
radial dynamic load capacity:	23.6 kN
D	47 mm
C	24 mm
B	25 mm
d1	36.5 mm
r1,2 min.	1 mm
Basic dynamic load rating C	14.7 kN
Basic static load rating C0	24.5 kN
Fatigue load limit Pu	2.9 kN
Maximum dynamic radial loads Fr max.	23.6 kN

Maximum static radial loads F <sub>0r</sub> max.	33.5 kN
Limiting speed	3000 r/min
Mass support roller	0.24 kg