

# NKE K 81222-MB thrust roller bearings

NKE K 81222-MB thrust roller bearings Manufacturers , Online Wholesale 85 mm d Suppliers !

d	85 mm
D	180 mm
B	41 mm
E	156 mm
F	108 mm
d1	117.5 mm
rs min	3 mm
r1s min	3 mm
Radial clearance class	C3
Mass (without HJ ring)	5.08 kg
Dynamic load, C	212 kN
Static load, C0	228 kN
Fatigue limit load, Cu	25.6 kN
Nlim (oil)	4,600 rpm
Nlim (grease)	3,900 rpm
Min operating temperature, Tmin	-40 °C
Max operating temperature, Tmax	120 °C
da min	98 mm
dc min	119 mm
Da max	167 mm
ra max	2.5 mm

Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	5.1
EAN	4547359136494
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	No
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch – Metric	Metric
Other Features	1 Rib Inner Ring with Side Plate   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	85MM Bore; Straight Bore Profile; 180MM Outside Diameter; 41MM Width; Brass Cage Material; RBEC 1
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer Item Number	NUP317G1C3

Weight / LBS	11.227
Outside Diameter	7.087 Inch   180 Millimeter
Bore	3.346 Inch   85 Millimeter
Width	1.614 Inch   41 Millimeter