

NKE NJ2324-E-MA6 cylindrical roller bearings

Welcome to the NKE NJ2324-E-MA6 cylindrical roller bearings online 80x140x26 Size (mm) seller. 80 Bore Diameter (mm)

Size (mm)	80x140x26
Bore Diameter (mm)	80
Outer Diameter (mm)	140
Width (mm)	26
d	80 mm
D	140 mm
B	26 mm
C	26 mm
Angle (α)	40 °
a	59.2 mm
r min.	2 mm
r1 min.	1 mm
da min.	90 mm
Da max.	130 mm
ra max.	2 mm
Weight	1.50 Kg
(Grease) Lubrication Speed	4000 r/min
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	0
EAN	0605790093364
Product Group	B00308

Enclosure	Open
Flush Ground	No
Rolling Element	Ball Bearing
Number of Rows of Balls	Single Row
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Snap Ring	No
Cage Material	Steel
Contact Angle	40 Degree
Internal Clearance	C0-Medium
Number of Bearings	1 (Single)
Inch – Metric	Metric
Long Description	80MM Bore; 140MM Outside Diameter; 26MM Width; Open; No Flush Ground; Ball Bearing; Single Row of Ba
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact
Outside Diameter	5.512 Inch 140 Millimeter
Bore	3.15 Inch 80 Millimeter
Width	1.024 Inch 26 Millimeter
Bearing No.	7216B
r(min)	2
r1(min)	1
Cr	101
C0r	69.3
Cu	3.80
f0	–

Grease lub.	3200
Oil lub.	4300
a(mm)	59.2
da(min)	90
Da(max)	130
ra(max)	2
(Refer.) Mass (kg)	1.50