

NKE NJ2338-E-M6 cylindrical roller bearings

With over 10170 full-service stores, Mounted Bearing Engineering Group our NKE NJ2338-E-M6 cylindrical roller bearings inventory is extensive and our parts are priced right. within 2-7/16 in Shaft Size 24 hours. This helps you maximize your productivity by saving time and your hard-earned dollars.

Engineering Group	Mounted Bearing
Shaft Size	2-7/16 in
Shaft Size Type	Imperial
Full Timken Part Number	TAPH15K207SB
Locking Style	Tapered Adapter
Weight	29 lb
Housing Style	Four-Bolt Pillow Block
UPC Code	0883450129077
Dimension A	3.25 in
Dimension B	6.38 in
Dimension C	3.86 in
Dimension D Max	9.69 in
Dimension D Min	7.94 in
Dimension E	1.88 in
Dimension F	10.88 in
Dimension G	3.130 in
Dimension H	1.29 in
Dimension J (Bolt Size)	0.500 in
Dimension L	3.29 in
Dimension M	1.73 in

Dimension S	2.87 in
C0 – Static Load	54100 lb
C – Dynamic Load (Basic)	49900 lb
e – Geometry Factor	0.22
Y1 – Geometry Factor	3.14
Y2 – Geometry Factor	4.67
Oil Lubrication – M/N Seal	1600 rpm
Oil Lubrication – T Seal	2900 rpm
Oil Lubrication – B/C/O Seal	1300 rpm
Grease Lubrication – M/N Seal	1600 rpm
Grease Lubrication – T Seal	2400 rpm
Grease Lubrication – B/C/O Seal	1300 rpm
Float	0.083 in
Shaft Tolerance	0.0035 in
Pre Install Clearance Min	0.0037 in
Pre Install Clearance Max	0.0047 in
Int Radial Clearance Reduction Min	0.0015 in
Int Radial Clearance Reduction Max	0.0020 in
Adapter Sleeve Axial Movement Min	0.022 in
Adapter Sleeve Axial Movement Max	0.03 in
Post Install Int Radial Clearance Min	0.0017 in