

NKE NJ234-E-MPA+HJ234-E cylindrical roller bearings

170 Million used 50x80x32 Size (mm) NKE NJ234-E-MPA+HJ234-E cylindrical roller bearings instantly searchable. Shop our large selection of parts based on brand, price, description, and location. Order the with stock ...

Size (mm)	50x80x32
Bore Diameter (mm)	50
Outer Diameter (mm)	80
Width (mm)	32
d	50 mm
D	80 mm
B	32 mm
C	32 mm
Angle (α)	15 °
Inventory	2.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.51
EAN	4547359430677
Product Group	B04270
Enclosure	Open
Precision Class	ABEC 5 ISO P5
Material – Ball	Steel
Number of Bearings	2 (1 Pair)
Contact Angle	15 Degree
Preload	Light

Raceway Style	1 Rib Outer Ring
Cage Material	Nylon
Rolling Element	Ball Bearing
Mounting Arrangement	Duplex-Back to Back
Flush Ground	Yes
Inch – Metric	Metric
Other Features	Single Row Angular Contact
Long Description	50MM Bore; 80MM Outside Diameter; 32MM Width; Open Enclosure; ABEC 5 ISO P5 Precision; Steel Ball
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer Item Number	7010CDB/GNP5
Weight / LBS	1.124
Outside Diameter	3.15 Inch 80 Millimeter
Bore	1.969 Inch 50 Millimeter
Width	1.26 Inch 32 Millimeter
bore diameter:	50 mm
cage material:	Nylon
outside diameter:	80 mm
finish/coating:	Uncoated
overall width:	32 mm
inner ring width:	16 mm
contact angle:	15 °
maximum rpm (oil):	23040 rpm
duplex type:	Back to Back
maximum rpm (grease):	14400 rpm

closure type:	Open
outer ring width:	16 mm
operating temperature range:	-40 to 120 °C
fillet radius:	1 mm
bearing material:	High Carbon Chrome Steel
manufacturer product page:	Click here
precision rating:	ISO Class 5