

# NKE NU214-E-MA6 cylindrical roller bearings

Various 40x90x52 Size (mm) types and sizes to accommodate your NKE NU214-E-MA6 cylindrical roller bearings 90,000 Outer Diameter (mm) requirements.

Size (mm)	40x90x52
Bore Diameter (mm)	40,000
Outer Diameter (mm)	90,000
Width (mm)	52
d	40,000 mm
D	90,000 mm
B	52 mm
C	27 mm
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.963
EAN	4547359233377
Product Group	M06110
Inner Race Profile	Wide Inner Ring
Outer Race Profile	Spherical
Relubricatable	Yes
Seal Type	Single Lip Land Riding
Mounting Method	Set Screw
Rolling Element	Ball Bearing
Snap Ring	No

Long Description	40MM Bore; Wide Inner Ring; Ball Bearing; 52MM Length Thru Bore; 27MM Outer Race Width; 90MM Outside
Inch – Metric	Metric
Other Features	Single Row   Heavy Duty   Steel Cage   Has Flinger   Metric
UNSPSC	31171536
Harmonized Tariff Code	8482.10.50.00
Noun	Bearing
Keyword String	Insert
Manufacturer Item Number	UC308D1
Weight / LBS	2.116
Length Thru Bore	2.047 Inch   52 Millimeter
Outer Race Width	1.063 Inch   27 Millimeter
Outside Diameter	3.543 Inch   90 Millimeter
Bore	1.575 Inch   40 Millimeter
bore diameter:	40 mm
fillet radius:	2 mm
outside diameter:	90 mm
radial dynamic load capacity:	40500 N
outer ring width:	27 mm
radial static load capacity:	24000 N
inner ring width:	52 mm
bearing material:	Through Hardened Steel
bore type:	Round
finish/coating:	Uncoated
locking device:	Set Screw Collar
maximum rpm:	3500 RPM
duty type:	Heavy Duty

seal type:	Contact
overall width:	52 mm
series:	UC3
operating temperature range:	-40 to 120 °C
manufacturer product page:	<a href="#">Click here</a>