

# NKE NUP312-E-MA6 cylindrical roller bearings

We work closely with our NKE NUP312-E-MA6 cylindrical roller bearings manufacturing partners to bring the best value 40x55x20 Size (mm) to customers.

Size (mm)	40x55x20
Bore Diameter (mm)	40
Outer Diameter (mm)	55
Width (mm)	20
Fw	40 mm
D	55 mm
C	20 mm
Da	47,5 mm
Db	40,6 mm
db	46,2 mm
E	47 mm
ra max	0,3 mm
rmin	0,3 mm
m	145 g / Weight
Cr	37000 N / Dynamic load rating (radial)
C0r	57000 N / Static load rating (radial)
Cur	8900 N / Fatigue limit load, radial
nG	11300 1/min / Limiting speed
nB	5800 1/min / Reference speed
Inventory	0.0

Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.15
EAN	4012801035163
Product Group	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring – No Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Outer Ring – Both Sides
Closed End	No
Inch – Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	40MM Bore; 55MM Outside Diameter; 20MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring
Other Features	Plain Outer Ring   Precision Bearing   Steel Cage   Ground Raceway
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer Item Number	RNA040X55X20
Weight / LBS	0.32
Bore	1.575 Inch   40 Millimeter

Width	0.787 Inch   20 Millimeter
Outside Diameter	2.165 Inch   55 Millimeter