

# NKE PMEY50-N bearing units

The online NKE PMEY50-N bearing units parts store gives you immediate access to a selection of more than 1.4 34,925 Bore Diameter (mm) million new, 34.925×65.088×18.034 Size (mm) used, remanufactured.

Size (mm)	34.925×65.088×18.034
Bore Diameter (mm)	34,925
Outer Diameter (mm)	65,088
Width (mm)	18,034
d	34,925 mm
D	65,088 mm
T	18,034 mm
B	18,288 mm
C	13,97 mm
ra1 max.	1,3 mm
a	14,1 mm
r1 min.	1,3 mm
Da	58 mm
db	40 mm
ra max.	3,5 mm
da	46 mm
Db	61 mm
Weight	0,259 Kg
Basic dynamic load rating (C)	47,5 kN
Basic static load rating (C0)	57,5 kN
(Grease) Lubrication Speed	5600 r/min
(Oil) Lubrication Speed	7500 r/min
Calculation factor (e)	0,38

Calculation factor (Y0)	0,88
LangID	1
ALP23	0
outer r	1.3
ALP22	10
D_	65.088
ALP21	28
SH0G_yobi	LM48548R/LM48510R
RAr	122.796
inner r	SPEC
GRS rpm	5600
D_b	61
D_a	58
DE_	56.679
SLR	12.7
Prod_Type3	TRBSR_ID_A
BETA_	1
ALPHA_	14.083
SDM_	49.745
DA1	7.5
DA2	6.727
hidYobi	LM48548/LM48510
Y1	1.6
B_	18.288
Oil rpm	7500
hidTable	ecat_NSTPRI
Y0	0.88
inner ra	3.5
outer rb	1.3

C0	57.5
CUP	0.087
e	0.38
DA_	7.115
BET21	3
BET22	30
BET23	0
Z_	19
C_	13.97
yobi	LM48548/LM48510
KBRG	3161
CONE	0.172
DI_	42.732