

NKE RME090 bearing units

Shop NKE RME090 bearing units huge online 37 Outer Diameter (mm) discount inventory. 25x37x7 Size (mm) and Import machinery parts your car needs with Free Shipping and Free Extended Warranty.

Size (mm)	25x37x7
Bore Diameter (mm)	25
Outer Diameter (mm)	37
Width (mm)	7
d	25 mm
D	37 mm
B	7 mm
C	7 mm
r min.	0,3 mm
da min.	27 mm
da max	27 mm
Da max.	35 mm
ra max.	0,3 mm
Weight	0,021 Kg
Basic dynamic load rating (C)	4,5 kN
Basic static load rating (C0)	3,15 kN
(Grease) Lubrication Speed	10 000 r/min
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0.01
EAN	0029176425707
Product Group	B00308

Enclosure	2 Seals
Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch – Metric	Metric
Long Description	25MM Bore; 37MM Outside Diameter; 7MM Outer Race Diameter; 2 Seals; Ball Bearing; ABEC 1 ISO P0; N
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer Item Number	6805DD
Weight / LBS	0.02
Bore	0.984 Inch 25 Millimeter
Outside Diameter	1.457 Inch 37 Millimeter
Outer Race Width	0.276 Inch 7 Millimeter
bore diameter:	25 mm
closure type:	Double Sealed
outside diameter:	37 mm
internal clearance:	Normal Clearance
overall width:	7 mm
manufacturer upc number:	029176425707
bore type:	Round
SRI	1.81

hidYobi	6805DD
LangID	1
D_	37
SREX	0.015
B_	7
da min	27
hidTable	ecat_NSRDGB
SRE	1.81
mass	0.021
GRS rpm	10000
ra	0.3
SRIX	0.015
D_a	35
SRIN	-0.015
C0	3.15
fo	16.1
SREN	-0.015
DE_	34.3
Prod_Type3	DGBB_SR_DD
DA_	3.5
bomp	0
Z_	16
yobi	6805DD
C_conv	4500
ALPHA_	0
SDM_	30.8
r	0.3
KBRG	6191
SBRG	18

DI_	27.3
-----	------